DESIGN BY HAY

HAY

COMMON LAMP COLLECTION



HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection
- Versatile and functional table and floor lamp series
- The lamp comprises a classic rice paper lantern design atop a slim stem and base
- The stem is made of steel, with the base crafted in steel or terrazzo, with both materials available in different colour options
- The bases are available for use as a table lamp and floor lamp, both variants featuring a standard E27 bulb fitting
- The lamp is suitable for both private and office environments
- Qualified for contract use

COMMON LAMP COLLECTION DESIGN BY HAY

Fusing simple design language with a classic archetype, the Common Table and Floor Lamp series comprises a classic rice paper lantern design atop a slim stem and base. Designed as two separate elements that can be used apart or together, they form a harmonious pair, with the airy paper shade complementing the minimalist base perfectly. The lamp base is available as a table and floor variant, which supports the shade to create a soft glow that adds warmth and atmosphere to any space in the home.



Common Table Lamp Base | Soft black
Common Paper Shade | Peach



Common Table Lamp Base | Soft black
Common Paper Shade | Peach



Common Table Lamp Base | Signal red
Common Paper Shade | Peach



Common Floor Lamp Base | Soft black
Common Paper Shade | Oblong



Common Table Lamp Base | Signal red
Common Paper Shade | Peach



COMMON TABLE & FLOOR LAMP BASE

MATERIALS

STEM
Powder coated steel stem and stem support

TOP BASE
Die cast steel with a powder coated finish (steel version).
Terrazzo (terrazzo version)

BOTTOM BASE
Die cast iron with a powder coated finish (steel version).
Terrazzo (terrazzo version)

CORD
Braided fabric cable with a silicone insulation and an on/off inline switch

PRODUCT INFORMATION

DESIGN YEAR
2022

COUNTRY OF ORIGIN
China

OPTIONS
Incl. UK Plug converter

COLOUR & FINISH | TABLE

Please note that the colours are indicative


BASE \ STEM	Soft black powder coated steel	Signal red powder coated steel	Summit grey powder coated steel
Soft black powder coated steel	•		
Signal red powder coated steel		•	
Grey terrazzo			•
Black terrazzo	•		

COLOUR & FINISH | FLOOR


Please note that the colours are indicative

BASE \ STEM	Soft black powder coated steel	Summit grey powder coated steel
Soft black powder coated steel	•	
Grey terrazzo		•
Black terrazzo	•	


DIMENSIONS | COMMON TABLE & FLOOR LAMP BASE




COMMON TABLE LAMP BASE | STEEL
Diameter 22 cm
Height 39 cm
Weight 1,96 kg




COMMON TABLE LAMP BASE | TERRAZZO
Diameter 22 cm
Height 39 cm
Weight 1,96 kg




COMMON TABLE LAMP | PEACH
Diameter 44 cm
Height 67 cm
Weight 1,96 kg




COMMON TABLE LAMP | OBLONG
Diameter 42 cm
Height 75 cm
Weight 1,96 kg




COMMON FLOOR LAMP BASE | STEEL
Diameter 35 cm
Height 129 cm
Weight 4,5 kg



COMMON FLOOR LAMP BASE | TERRAZZO
Diameter 35 cm
Height 129 cm
Weight 4,5 kg



COMMON FLOOR LAMP | PEACH
Diameter 44 cm
Height 155,5 cm
Weight 4,5 kg



COMMON FLOOR LAMP | OBLONG
Diameter 42 cm
Height 160,5 cm
Weight 4,5 kg



COMMON TABLE LAMP BASE

TECHNICAL SPECIFICATION

RECOMMENDED LIGHT SOURCE
LED E27 (EU) | LED E26 (US), 8-13W (max. 13W), 1000-1500lm,
2700K warm white
Bulb not included

DIMMABLE
No

POWER SUPPLY
220-240V AC at 50/60Hz (EU)
100-240V AC at 50/60Hz (US)

IP
20

CORD LENGTH
200 cm

SWITCH
Inline switch

TEST SPECIFICATION OUTPUTS

Photometrics and the test specification shown is taken using the recommended LED bulbs fitted in the production luminaire

LUMEN (LM)
1200-1300lm

KELVIN (CCT) & CRI (1-100)
The levels will vary depending on the type of bulb used in the lamp



COMMON FLOOR LAMP BASE

TECHNICAL SPECIFICATION

RECOMMENDED LIGHT SOURCE
LED E27, 8-13W (max. 13W) (EU), 1000-1500lm, 2700 warm white
Bulb not included

DIMMABLE
No

POWER SUPPLY
220-240V AC at 50/60Hz (EU)
100-240V AC at 50/60Hz (US)

IP
20

CORD LENGTH
295 cm

SWITCH
Inline floor switch

TEST SPECIFICATION OUTPUTS

Photometrics and the test specification shown is taken using the recommended LED bulbs fitted in the production luminaire

LUMEN (LM)
1200-1300lm

KELVIN (CCT) & CRI (1-100)
The levels will vary depending on the type of bulb used in the lamp

CERTIFICATES

ETL APPROVED
This product has been assessed and complies with the essential requirements of the certificate.

CE APPROVED
This product has been assessed and complies with the essential requirements of the relevant European directives.

LED IP20

Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including:

· EN 60598-2-4 (portable luminaires)
· EN 60598-1 (general requirements)
· EN 62493 (human exposure to EMC)

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.
LINK TO DIGITAL LIBRARY





COMMON PAPER SHADE

MATERIALS

SHADE
Rice paper and bamboo

WIRE
Steel wire inner structure

PRODUCT INFORMATION

DESIGN YEAR
2022

COUNTRY OF ORIGIN
China

COLOUR & FINISH


Please note that the colours are indicative

Shade
Rice paper and bamboo

Steel wire

PHOTOMETRICS

OBLONG



PEACH

