

DESIGN BY SMITHMATTHIAS

HAY

NOC CLIP

HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection
- A flexible, engineered clamp light with character
- Inline on off rocker switch
- Suitable for both private and office environments
- Qualified for contract use
- For indoor use only



NOC CLIP DESIGN BY SMITHMATTHIAS

The Noc Wall and Noc Wall Button Lamps are adaptable die-cast aluminium wall lights with faceted shades and a smooth powder coat finish. Both feature a rotating mechanism with two points of adjustment, while the main light is fixed into the wall-mounted bracket. The Noc Wall Lamp comes with a two-metre cable and inline switch, allowing the cable to hang freely to be plugged into a wall socket. The Noc Wall Button Lamp features a simple push-button switch integrated into the bracket. Both lamps are versatile lights suitable for everyday use in domestic and commercial settings.

London-based designers Jack Smith and Gemma Matthias take a responsible approach to their design work, which means that they design for the “long term.” Having worked for several architects and design practices, their shared knowledge of manufacturing and their passion for enduring products has ead them to a utilitarian approach to contemporary design: they strive to create products that people can connect to, and that will be a pleasure to experience and use.



SmithMatthias



Noc Clip | Off white
Noc Clip | Dark grey



Noc Clip | Off white



Noc Clip | Dark grey



MATERIALS

LAMP STEM AND BASE
Machined aluminium

LAMP SHADE
Die cast aluminium

CORD
Silicone cord. Black for both colours

PRODUCT INFORMATION

DESIGN YEAR
2015

COUNTRY OF ORIGIN
China

COLOUR & FINISH

Please note that the colours are indicative




Dark grey



Off white

DIMENSIONS



NOC CLIP
Width 10 cm
Depth 14 cm
Height 22 cm
Max. clamp mouth width 4 cm
Weight 0,58 kg



TECHNICAL SPECIFICATION

RECOMMENDED LIGHT SOURCE
LED E14, 5,5W, 470lm, 2800K warm white
Bulb not included

DIMMABLE
No

POWER SUPPLY
220-240V AC at 50/60Hz

IP
20

CORD LENGTH
200 cm

SWITCH
Inline Switch

TEST SPECIFICATION OUTPUTS


Photometrics and the test specification shown is taken using the recommended LED bulb fitted in the production luminaire

LUMEN (LM)
470lm

KELVIN (CCT)
2800K warm white

CRI (1-100)
80

PHOTOMETRICS



CERTIFICATES

ETL APPROVED

This product has been assessed and complies with the essential requirements of the certificate.

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.

LED **CE**  **IP20**   **UK**
CA

Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including:

- EN 55015 (radio disturbance)
- EN 61547 (EMC immunity)
- EN 61000-3-2 (EMC compatibility)
- EN 61000-3-3 (EMC compatibility)
- EN 60598-2-4 (portable luminaires)
- EN 60598-1 (general requirements)

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)

